

Performance Bulletin

YPB#: PB_SHT_Triton260_t_F150TXR_8-8-07_OCC

Test Date:

8/8/07




F150TXR / LF150TXR

Performance Data

RPM	MPH	GPH	MPG
1000	5.3	1.5	3.53
1500	7.5	2.4	3.13
2000	9.3	3.9	2.39
2500	13.0	5.6	2.32
3000	21.0	7.7	2.73
3500	27.9	10.0	2.79
4000	33.7	12.5	2.70
4500	39.0	16.2	2.41
5000	43.8	20.4	2.15
5500	48.7	26.3	1.85
5950	52.0	30.5	1.71

Seconds to Plane **3.83**



Test performed and certified by Yamaha Application Engineers.

Boat Manufactured By:

Sea Hunt • 2348 Shop Road • Columbia, SC 29201
(803) 755-6539 • www.seahuntboats.com

Sea Hunt Triton 260

Length	26'
Beam	9' 3"
Dry Weight (published)	4,100 lbs.
Max HP	400
Fuel Capacity	150 gals.
Weight as Tested (approximate)	6,236 lbs.

Yamaha F150TXR / LF150TXR

Horsepower	150
Fuel Induction	Electronic Fuel Injection
Displacement	163 cu. in.
Weight	475 lbs.
Gear Ratio	2.00
Mounting Height	#2

Propeller

Series	Reliance Series
Diameter/Pitch	13-3/4 x 19
Yamaha Part #	68F-45974-00-00 / 68G-45974-00-00

Test Conditions

Number of People	2
Air Temperature	104° F
Water Temperature	85° F
Elevation	343 ft.
Wind Velocity	10-15 MPH

Comments:

Test weight includes 1/2 tank of fuel, two batteries, optional T-top with radio box, safety and test equipment.

Note:

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha's Command Link® fuel management system. Speed data gathered with GPS receiver.

For More Information:

Yamaha Motor Corp., USA • OEM Division, Marine Group
1270 Chastain Road NW • Kennesaw, GA 30144 • (800) 88-YAMAHA

For other Performance Bulletins, visit www.yamaha-motor.com.